## Sleep Disorders Patient Questionnaire Chest Medicine of Cullman- Dr. Warner

Name	Today's Date
Date of Birth	Age
Referred by Doctor	or Self-referred
Please briefly descri pertains to your days	ibe <b>your</b> main complaint (whether it involves your sleep or time functioning):
Please briefly descri daytime functioning,	be <b>your <u>bedmate's</u> main compliant</b> about your sleep or if applicable:
your sleep problem(s Medications:	(Ambien, Klonopin, Benadryl, Tylenol PM, Ativan, Xanax, Unisom, Provigil, Ritalin, Nuvigil, Adderall) others (list):
Sleep-Related	Surgeries (Nasal surgery, Tonsils, UP3, etc.) or <b>Dental Device</b> :
YOU must re If so, When an Do you current	Have you had a <u>previous</u> sleep study? No Yes if YES <b>STOP</b> !! equest a copy of that study-see instructions below. d where? tly use <u>CPAP</u> at night? Yes No ( ) I don't know. ( ) Used CPAP in past but <u>not</u> now.
What physiciar	e you had an overnight <u>oxygen test</u> ? Yes No n ordered it? tly sleep with oxygen? Yes No Since
أممم معامين مماني بمالم سمايي	ict voul la cadoute comodite vousieit voe cel voute de All of the c

Thank you for allowing us to assist you! In order to expedite your visit we ask you to do ALL of the following before coming:

☆ Complete this sleep questionnaire packet - including your medications listed

Copies of ALL previous sleep studies performed by any doctor other than Dr. Warner. You must contact the sleep lab where these were performed to have it faxed to us before your appointment or get a copy of the study and bring it with you in hand. It doesn't matter where or when it was done, we must have it for your insurance. You can go to our website to download and print our Release Form and send it to the other sleep lab or doctor at least 1 week before you see us. Call us if you are unsure how to do this.

**☆** Bring all your Insurance cards

THESE ITEMS MUST BE BROUGHT WITH YOU TO YOUR FIRST OFFICE VISIT.

## **SLEEP HISTORY**

1. Du	ring the work week, what time, on average, do you go to bed? Wake up?  How long does it take you to fall asleep on average?min/hrs.
	How many hours of sleep do you get?
2. On	weekends/days off work, what time do you go to bed? Wake up? How many hours of sleep do you get?
	w many times do you awaken during your sleep? Usual causes?(for example, to urinate, of breath, body jerking, heartburn, not sure)
	w many hours of sleep do you need to feel 'good'? or "I never feel rested no matter how much sleep I get"
5. Wh	nat is your neck/collar size (dress shirtfor example 17 ½ ):inches or don't know
	Please rate on a scale from <b>zero (0) to ten (10)</b> , with 0 not sleepy at all and 10 being most sleepy, ow sleepy are you?: 01—2—3—4—5—6—7—8—910
contra recent	w likely are you to <u>doze off or fall asleep</u> in the following situations, in set to just feeling tired? Even if you haven't done some of these activities by, think about how they would have affected you.  his scale to choose the most appropriate number for each situation:  0= would <u>never</u> doze  1= <u>slight</u> chance of dozing  2= <u>moderate</u> chance of dozing  3= <u>high</u> chance of dozing

Situation	Chance of Dozing			
Sitting and reading	0	1	2	3
Watching television	0	1	2	3
Sitting inactive in a public place- for example, a theater,	0	1	2	3
church or meeting				
As a passenger in a car for an hour without a break	0	1	2	3
Lying down to rest in the afternoon	0	1	2	3
Sitting and talking to someone	0	1	2	3
Sitting quietly after lunch (when you've had no alcohol)	0	1	2	3
In a car while stopped in traffic	0	1	2	3
Add all 8 numbers together for your Total:				

Please rate how often you: (place an X in the appropriate column)  Have been told you snore Snore loudly enough that other complain Been told you have stopped breathing during sleep Have awakened from "snorting" in your sleep/feeling choked Have dry mouth in the mornings Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have nightlime seizures Bedwetting currently				
Snore loudly enough that other complain Been told you have stopped breathing during sleep Have awakened from "snorting" in your sleep/feeling choked Have dry mouth in the mornings Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures		Never	Sometimes	<b>Frequently</b>
Snore loudly enough that other complain Been told you have stopped breathing during sleep Have awakened from "snorting" in your sleep/feeling choked Have dry mouth in the mornings Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures	Have been told you snore			
Been told you have stopped breathing during sleep Have awakened from "snorting" in your sleep/feeling choked Have dry mouth in the mornings Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have norning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures	<u> </u>			
Have awakened from "snorting" in your sleep/feeling choked Have dry mouth in the mornings Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep if not active Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures				
Have dry mouth in the mornings  Have morning headaches  Heartburn' Use antacids  Use nasal sprays' decongestants  Sweat excessively at night  Have concentration difficulties/memory problems  Sleepy or Fall asleep while driving  Fall asleep if not active  Fall asleep during active tasks  Take naps during the day  Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties (for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures				
Have morning headaches Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures				
Heartburn/ Use antacids Use nasal sprays/ decongestants Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures	•			
Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures				
Sweat excessively at night Have concentration difficulties/memory problems Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties (for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures	Use nasal sprays/ decongestants			
Have concentration difficulties/memory problems  Sleepy or Fall asleep while driving  Fall asleep if not active  Fall asleep during active tasks  Take naps during the day  Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties (for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	· · · · · · · · · · · · · · · · · · ·			
Sleepy or Fall asleep while driving Fall asleep if not active Fall asleep during active tasks Take naps during the day Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep Are unable to move or speak for a few moments after waking up Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties ( for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures				
Fall asleep if not active  Fall asleep during active tasks  Take naps during the day  Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures				
Fall asleep during active tasks  Take naps during the day  Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures				
Stay awake but Collapse or Feel the immediate uncontrollable urge to sleep when you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	<u> </u>			
you have a strong emotion (i.e., laughing, very mad, surprised, etc)  Blink eyes, jaw drops, feel knees buckle, or arms weak when you laugh and/or are mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Take <i>naps</i> during the day			
mad, happy or surprised  Experience vivid dreamlike scenes just upon awakening or falling asleep  Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	· · · · · · · · · · · · · · · · · · ·			
Are unable to move or speak for a few moments after waking up  Have been told your legs jerk every 20 seconds or so throughout the night  Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures				
Have been told your legs jerk every 20 seconds or so throughout the night Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling Are unable to fall asleep in 15 minutes or less Wake up during the night and can't get back to sleep Wake up one or two hours early in the morning Feel sad or depressed Have anxieties ( for example, worries about family or financial problems) Awakened by pain during the night Have morning jaw pain/grind teeth during sleep Sleep walk or sleep talk Have nighttime seizures	Experience vivid dreamlike scenes just upon awakening or falling asleep			
Have been told you act out your violent dreams or nightmares by hitting, swinging your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Are unable to move or speak for a few moments after waking up			
your arms/legs or yelling  Are unable to fall asleep in 15 minutes or less  Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Have been told your legs jerk every 20 seconds or so throughout the night			
Wake up during the night and can't get back to sleep  Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures				
Wake up one or two hours early in the morning  Feel sad or depressed  Have anxieties (for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	•			
Feel sad or depressed  Have anxieties ( for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Wake up during the night and can't get back to sleep			
Have anxieties (for example, worries about family or financial problems)  Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Wake up one or two hours <i>early</i> in the morning			
Awakened by pain during the night  Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	·			
Have morning jaw pain/grind teeth during sleep  Sleep walk or sleep talk  Have nighttime seizures	Have anxieties (for example, worries about family or financial problems)			
Sleep walk or sleep talk Have nighttime seizures	Awakened by <i>pain</i> during the night			
Have nighttime seizures	Have morning jaw pain/grind teeth during sleep			
_	Sleep walk or sleep talk			
Bedwetting currently	Have nighttime seizures			
	Bedwetting currently			

Please begin the first Sunday after this is received and complete for 2 weeks. Bring to your doctor's appointment with the completed Sleep History Questionnaire and completed Patient Information Sheet.

	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
How long did it	UAI 1	-					14 - 20 11 11 11 11 11 11 11 11 11 11 11 11 11
take you to fall asleep?		`			:	•	
How many times dld you wake up during the night?							
How many hours were you awake last night?			5**		M. Commence		
Overall, how many hours did you sleep?							
Did you wake up earlier than you wanted to?	□Yes □ No	☐Yes ☐No	☐Yes ☐No	Yes No	□Yee □No	Yes No	☐ Yes ☐ No
On a scale of 1 to 5, how did you feel when you woke up?	1 - Tred   2   3   4   5 - Refreshed	1 - Tired 2 3 4 5 - Refreshed	1 - Tired 2 3 4 5 - Refreshed	1 - Tired 2 3 4 5 - Refreshed	☐ 1 - Tired: ☐ 2 ☐ 3 ☐ 3 ☐ 3 ☐ 5 - Refreshed:	1 - Tired 2 3 4 5 - Refreshed	1 - Tired 2 3 4 5 - Refreshed
Did you take any naps today?	☐Yes ☐No	Yes No	□Yes. □No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No.
Did you do any of the following?	Consume Caffeine Drink Alcohol Exercise	Consume Caffeine Drink Alcohol Exercise	☐ Consume Caffeins ☐ Drink Alcohol ☐ Exercise	Consume Caffeine Drink Alcohol Exercise	Consume Ceffeine	Consume Caffeine Drink Alcohol Exercise	Drink Alcohol:
On a scale of 1 to 5, how did you feel during the day?	1 - Sluggish 2 3 4 5 - Energetic	1 - Sluggish 2 3 4 5 - Energetic	1 - Sluggish 2 3 4 5 - Energetic	1 - Sluggish 2 3 4 5 - Energetic	1- Sluggish 2 3 4 5- Energetic	☐ 1 - Sluggish ☐ 2 ☐ 3 ☐ 4 ☐ 5 - Energetic	1 - Slüggish 2 3 4 5 - Energetic
	DAY 1	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
How long did it take you to fall asleep?				•			
How many times did you wake up during the night?			,				
How many hours were you awake last night?							
Overall, how many hours did you sleep?					**************************************		
Did you wake up earlier than you wanted to?	☐Yes ☐ No	☐ Yes ☐ No	∐ Yes □ No	☐ Yes ☐ No	□Yes: □N6	Yes No	☐ Yes: ☐ No
On a scale of 1 to 5, how did you fael when you woke up?	1 - Tired 2 3 3 4	1 - Tired 2 2 3 3 4 5 - Refreshed	1 - Tired     2   3   4     5 - Refreshed	☐ 1 - Tired ☐ 2 ☐ 3 ☐ 4 ☐ 5 - Refreshed	1 - Tired   2   3   4   5 - Refreshed	114	☐ 1 - Tired ☐ 2 ☐ 3 ☐ 4 ☐ 5 - Refreshed
Did you take any naps today?	☐Yes ☐No	☐Yes ☐No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐Yes ☐No	□Yes □No
Did you do any of the following?	Consume Caffeine Drink Alcohol Exercise	Consume Caffeine Drink Alcohol Exercise	Consume Caffeine Drink Alcohol Exercise	Consume Caffeine Drink Alcohol Exercise	Consume Caffeins Drink Alcohol Exercise	Exercise	☐ Consume Caffeine ☐ Drink Alcohol ☐ Exercise
On a scale of 1 to 5, how did you feel during the day?	1 - Sluggish 2 3 4 5 - Energetic	1 - Sluggish 2 3 4 5 - Energetic	☐ 1 - Sluggish ☐ 2 ☐ 3 ☐ 4 ☐ 5 - Energetic	1 - Sluggish 2 3 4 5 - Energetic	1 - Sluggish 2: 3 4 5 - Energetic	□ 2 □ 3 □ 4	☐ 1 - Sluggish ☐ 2 ☐ 3 ☐ 4 ☐ 5 - Energetic